NOTIFICATION OF ADDENDUM ADDENDUM NO. 1 DATED 10/29/2012

1911-01-021
STP 2012(607)MM
FM 2004
GALVESTON

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an adendum notification which details the changes and the respective proposal pages which were added and/ or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

```
SUBJECT: PLANS AND PROPOSAL ADDENDUMS
       PROJECT: STP 2012(607)MM CONTROL: 1911-01-021
       COUNTY: GALVESTON
       LETTING: 11/01/2012
      REFERENCE NO: 1029
                         PROPOSAL ADDENDUMS
_ PROPOSAL COVER
  BID INSERTS (SH. NO.:
_ GENERAL NOTES (SH. NO.:
X SPEC LIST (SH. NO.: 3 OF 3
X SPECIAL PROVISIONS:
  ADDED: 6834--001
      DELETED:
  SPECIAL SPECIFICATIONS:
   ADDED:
      DELETED:
X OTHER: SEE CHANGES BELOW.
DESCRIPTION OF ABOVE CHANGES
(INCLUDING PLANS SHEET CHANGES)
PROPOSAL:
*****
SPEC LIST
_____
ADDED SP 6834--001.
PLANS:
PLAN SHEET 7A (ESTIMATE & QUANTITY SHEET) -
ADDES SP 6834--001 TO PLAN SHEET.
```

)

1-1

CONTROL: 1911-01-021 PROJECT: STP 2012(607)MM

HIGHWAY: FM 2004 COUNTY: GALVESTON

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION JUNE 1, 2004.

STANDARD SPECIFICATIONS ARE INCORPORATED

INTO THE CONTRACT BY REFERENCE.

- ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
- ITEM 105 REMOVING STABILIZED BASE AND ASPHALT PAVEMENT
- ITEM 112 SUBGRADE WIDENING (132)(204)
- ITEM 132 EMBANKMENT (100)(204)(210)(216)(400)
- ITEM 134 BACKFILLING PAVEMENT EDGES (166)(168)(247)(300)(314)
- ITEM 162 SODDING FOR EROSION CONTROL (166)(168)
- ITEM 166 FERTILIZER
- ITEM 168 VEGETATIVE WATERING
- ITEM 260 LIME TREATMENT (ROAD-MIXED) (105)(132)(204)(210)(216) (247)(300)(310)(520)
- ITEM 276 CEMENT TREATMENT (PLANT-MIXED) (204)(210)(216)(247)(300) (310)(520)
- ITEM 305 SALVAGING, HAULING, AND STOCKPILING RECLAIMABLE ASPHALT PAVEMENT
- ITEM 316 SURFACE TREATMENTS (210)(300)(302)(520)
- ITEM 340 DENSE-GRADED HOT-MIX ASPHALT (METHOD) (210)(300)(301) (320)(520)(585)
- ITEM 500 MOBILIZATION
- ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
- ITEM 529 CONCRETE CURB, GUTTER, AND COMBINED CURB AND GUTTER (360) (420)(421)(440)
- ITEM 618 CONDUIT (400)(445)(476)(622)
- ITEM 620 ELECTRICAL CONDUCTORS
- ITEM 624 GROUND BOXES (421)(440)
- ITEM 644 SMALL ROADSIDE SIGN SUPPORTS AND ASSEMBLIES (421)(440) (441)(442)(445)(634)(636)(643)(656)
- ITEM 662 WORK ZONE PAVEMENT MARKINGS (666)(668)(672)(677)
- ITEM 666 REFLECTORIZED PAVEMENT MARKINGS (316)(318)(662)(677)(678)
- ITEM 672 RAISED PAVEMENT MARKERS (677)(678)
- ITEM 678 PAVEMENT SURFACE PREPARATION FOR MARKINGS (677)

```
ITEM 684 TRAFFIC SIGNAL CABLES
ITEM 688 PEDESTRIAN DETECTORS AND VEHICLE LOOP DETECTORS
```

```
SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
                    PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
                    HEREON WHEREVER IN CONFLICT THEREWITH.
REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS
                  (FORM FHWA 1273, MAY, 2012)
WAGE RATES
SPECIAL PROVISION "PARTNERING" (000--2329)
SPECIAL PROVISION "NOTICE TO ALL BIDDERS" (000---003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
                  ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000---004)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
                  CONSTRUCTION CONTRACT SPECIFICATIONS" (000---006)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
                  (000 - - - 009)
SPECIAL PROVISION "DEPARTMENT DIVISION MAILING AND PHYSICAL ADDRESS"
                  (000---011)
SPECIAL PROVISION "ON-THE-JOB TRAINING PROGRAM" (000--1676)
SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000--2332)
SPECIAL PROVISION "NOTICE OF CHANGE TO U.S. DEPARTMENT OF LABER
                  REQUIRED PAYROLL INFORMATION" (000--1483)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL AID
                  CONTRACTS" (000--1966)
SPECIAL PROVISION TO ITEM
                              1 (001---015)
SPECIAL PROVISION TO ITEM
                              2 (002---017)
SPECIAL PROVISION TO ITEM
                             3 (003---033)
SPECIAL PROVISION TO ITEM
                            4 (004---017)
                            5 (005---004)
SPECIAL PROVISION TO ITEM
SPECIAL PROVISION TO ITEM
                            6 (006---030)
SPECIAL PROVISION TO ITEM
                             7 (007---918)
SPECIAL PROVISION TO ITEM
                            8
                                (008 - - - 119)
                            9 (009---009)(009---015)
SPECIAL PROVISIONS TO ITEM
SPECIAL PROVISION TO ITEM 100 (100---002)
SPECIAL PROVISION TO ITEM 166
                                (166---001)
SPECIAL PROVISION TO ITEM 247
                                (247 - - - 033)
SPECIAL PROVISION TO ITEM 260 (260---003)
SPECIAL PROVISION TO ITEM 300 (300---039)
SPECIAL PROVISION TO ITEM 302
                                (302 - - - 010)
SPECIAL PROVISION TO ITEM 316 (316---016)
SPECIAL PROVISION TO ITEM 318 (318---010)
SPECIAL PROVISION TO ITEM 340 (340---003)
SPECIAL PROVISION TO ITEM
                            360
                                 (360 - - - 003)
SPECIAL PROVISION TO ITEM 420 (420---002)
SPECIAL PROVISION TO ITEM 421 (421--035)
SPECIAL PROVISION TO ITEM 440 (440---006)
SPECIAL PROVISION TO ITEM 441 (441---007)
SPECIAL PROVISION TO ITEM 442 (442---016)
SPECIAL PROVISION TO ITEM 476 (476---003)
```

SPECIAL PROVISION TO ITEM 500 (500---011)

```
      SPECIAL PROVISION
      TO ITEM 502 (502---033)

      SPECIAL PROVISION
      TO ITEM 620 (620---001)

      SPECIAL PROVISION
      TO ITEM 624 (624---014)

      SPECIAL PROVISION
      TO ITEM 636 (636---014)

      SPECIAL PROVISION
      TO ITEM 643 (643---001)

      SPECIAL PROVISION
      TO ITEM 672 (672---034)

      SPECIAL PROVISION
      TO SPECIAL SPECIFICATION ITEM 1122 (1122--001)

      SPECIAL PROVISION
      TO SPECIAL SPECIFICATION ITEM 6834 (6834--001)
```

SPECIAL SPECIFICATIONS:

ITEM 1122 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL CONTROLS (161)(432)(556)

ITEM 6834 PORTABLE CHANGEABLE MESSAGE SIGN

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH
----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER
PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVELISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL
PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFICATIONS FOR THIS PROJECT.

SPECIAL PROVISION TO

SPECIAL SPECIFICATION

6834--001

Portable Changeable Message Sign

For this project, Special Specification Item 6834, "Portable Changeable Message Sign," is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 2. Materials, Section A. Minimum Luminance Requirements, is voided and not replaced.

Article 2. **Materials, Section C. Changeable Message Sign.** The second paragraph is voided and replaced by the following:

Provide a sign with 3 separate lines of text and 8 characters per line minimum. Provide spacing between message lines that are between 50 and 75 percent of the letter height. Provide a minimum 18 in. character height. Provide a 5 x 7 character pixel matrix. Provide a message legibility distance of 600 ft. for nighttime conditions and 800 ft. for normal daylight conditions. Provide for manual and automatic dimming light sources.